




Standard Product List | May 2018



Loft Insulation

Multi-Roll 44				Thermal Conductivity - 0.044W/mK		
Code	Thickness (mm)	Length (m)	Width (mm)	m ² per pack	m ² per pallet	Packs per pallet
5774	100	10.10	1200/2x600/3x400	12.12	290.88	24
5773	150	6.65	1160/2x580/3x386	7.71	185.04	24
5772	170	5.80	1160/2x580/3x386	6.73	161.52	24
5771	200	4.85	1160/2x580/3x386	5.63	135.12	24

Handy Pack 44				Thermal Conductivity - 0.044W/mK		
Code	Thickness (mm)	Length (m)	Width (mm)	m ² per pack	m ² per pallet	Packs per pallet
5780	100	7.00	1140/2x570/3x380	7.98	239.40	30

Multi-Roll 40				Thermal Conductivity - 0.040W/mK		
Code	Thickness (mm)	Length (m)	Width (mm)	m ² per pack	m ² per pallet	Packs per pallet
3833	100	9.75	1200/2x600/3x400	11.70	280.80	24
3832	150	6.30	1160/2x580/3x386	7.31	175.44	24
3831	200	4.60	1160/2x580/3x386	5.34	128.16	24





Cavity Wall Insulation

Superwall 36				Thermal Conductivity - 0.036W/mK			
Code	Thickness (mm)	Length (mm)	Width (mm)	Slabs per pack	m ² per pack	m ² per pallet	Packs per pallet
5269C1	75	1200	455	10	5.46	163.80	30
5270C1	85	1200	455	9	4.91	147.30	30
5271C1	100	1200	455	8	4.37	131.10	30
5272C1	125	1200	455	7	3.82	114.60	30
5273C1	150	1200	455	6	3.28	98.40	30

Superwall 34				Thermal Conductivity - 0.034W/mK			
Code	Thickness (mm)	Length (mm)	Width (mm)	Slabs per pack	m ² per pack	m ² per pallet	Packs per pallet
5855C1	100	1200	455	7	3.82	114.60	30
5856C1	125	1200	455	6	3.28	98.40	30
5857C1	150	1200	455	5	2.73	81.90	30

Superwall 32				Thermal Conductivity - 0.032W/mK			
Code	Thickness (mm)	Length (mm)	Width (mm)	Slabs per pack	m ² per pack	m ² per pallet	Packs per pallet
5840C1	75	1200	455	8	4.37	131.10	30
5841C1	85	1200	455	8	4.37	131.10	30
5842C1	100	1200	455	6	3.28	98.40	30
5846C1	125	1200	455	4	2.18	65.40	30
5864	150	1200	455	5	2.73	54.60	20





Acoustic Insulation

Party Wall Roll				Minimum Density - 18kg/m ³		
Code	Thickness (mm)	Length (m)	Width (mm)	m ² per pack	m ² per pallet	Packs per pallet
5873	75	7.70	3x455	10.51	252.24	24
5872	100	5.75	3x455	7.85	188.40	24

TF Party Wall Roll				Minimum Density - 18kg/m ³		
Code	Thickness (mm)	Length (m)	Width (mm)	m ² per pack	m ² per pallet	Packs per pallet
5849	60	10.50	2x675	14.18	340.32	24

Multi Acoustic Roll				Minimum Density - 10kg/m ³		
Code	Thickness (mm)	Length (m)	Width (mm)	m ² per pack	m ² per pallet	Packs per pallet
5510	60	11.25	1200/2x600/3x400	13.50	324.00	24
5511	80	10.40	1200/2x600/3x400	12.48	299.52	24
5504	100	10.10	1200/2x600/3x400	12.12	290.88	24

Acoustic Partition Roll (APR)						
Code	Thickness (mm)	Length (m)	Width (mm)	m ² per pack	m ² per pallet	Packs per pallet
5525	25	22.50	1200	27.00	648.00	24
5526	25	22.50	2x600	27.00	648.00	24
5551	50	13.00	1200	15.60	374.40	24
5552	50	13.00	2x600	15.60	374.40	24

Multi Purpose Acoustic Slab				Thermal Conductivity - 0.035W/mK			
Code	Thickness (mm)	Length (mm)	Width (mm)	Slabs per pack	m ² per pack	m ² per pallet	Packs per pallet
5263	50	1200	600	16	11.52	184.32	16
5264	75	1200	600	12	8.64	138.24	16
5265	100	1200	600	8	5.76	92.16	16





Timber & Rafter Insulation

Timber & Rafter Roll 40				Thermal Conductivity - 0.040W/mK		
Code	Thickness (mm)	Length (m)	Width (mm)	m ² per pack	m ² per pallet	Packs per pallet
3489	90	10.65	2x570	12.14	291.36	24
3488	140	6.90	2x570	7.87	188.88	24

Timber & Rafter Batt 40				Thermal Conductivity - 0.040W/mK			
Code	Thickness (mm)	Length (mm)	Width (mm)	Batts per pack	m ² per pack	m ² per pallet	Packs per pallet
3297	90	1175	570	18	12.06	192.96	16
3310	140	1175	570	12	8.04	128.64	16

Timber & Rafter Roll 35				Thermal Conductivity - 0.035W/mK		
Code	Thickness (mm)	Length (m)	Width (mm)	m ² per pack	m ² per pallet	Packs per pallet
3138	90	5.00	2x570	5.70	136.80	24
3137	140	4.50	2x570	5.13	123.12	24

Timber & Rafter Batt 35				Thermal Conductivity - 0.035W/mK			
Code	Thickness (mm)	Length (mm)	Width (mm)	Batts per pack	m ² per pack	m ² per pallet	Packs per pallet
3155	90	1175	570	10	6.70	107.20	16
3156	140	1175	570	7	4.69	75.04	16

Timber & Rafter Roll 32				Thermal Conductivity - 0.032W/mK		
Code	Thickness (mm)	Length (m)	Width (mm)	m ² per pack	m ² per pallet	Packs per pallet
3658	90	3.90	2x570	4.45	106.80	24
3649	140	2.80	2x570	3.19	76.56	24

Timber & Rafter Batt 32				Thermal Conductivity - 0.032W/mK			
Code	Thickness (mm)	Length (mm)	Width (mm)	Batts per pack	m ² per pack	m ² per pallet	Packs per pallet
3638	90	1175	570	6	4.02	64.32	16
3643	140	1175	570	5	3.35	53.60	16



Your insulation team
Superglass

Superglass Insulation Limited

Thistle Industrial Estate, Kerse Road, Stirling, Scotland FK7 7QQ

Technical

Hotline: **0808 1645 134**

Email: technical@superglass.co.uk

Sales

Tel: **01786 451170**

Email: sales@superglass.co.uk

www.superglass.co.uk

A  **TECHNONICOL** company

All rights are reserved, including those of photomechanical reproduction and storage in electronic media. Commercial use of the processes and work activities presented in this document is not permitted. Extreme caution was observed when putting together the information, texts and illustrations in this document. Nevertheless, errors cannot quite be ruled out. The publisher and editors cannot assume legal responsibility or any liability whatever for incorrect information and the consequences thereof. The publisher and editors will be grateful for improvement suggestions and details of errors pointed out.