

# Declaration of Performance

Superglass Insulation Limited declares that products listed are manufactured for the use in the thermal insulation of buildings that are identified and labelled with the following designation code:

**MW 14064-1-S1-WS-MU1**  
**Superwhite 34 Blown Cavity Wall Insulation**  
**British Board of Agrément Certificate 14/5086 Product Sheet 2**

## Technical Specifications

Designation Code	Declared Thermal Conductivity $\lambda D$	Settlement Class	Reaction to Fire Classification	Water Absorption	Water Vapour Diffusion Resistance
MW-14064-1	0.034	S1	A1	WS	MU1

The product meets the requirements of Annex ZA of Harmonised European Product Standard BS EN 14064-1: 2010 with its conformity established according to Harmonised European Standard BS EN 13172: 2012.

In support of our Declaration of Performance, SP Technical Research Institute of Sweden Certification, Notified body number 0402, having taken product test samples in accordance with a prescribed test plan from our factory established at:

**Thistle Industrial Estate, Kerse Road, Stirling,  
Scotland FK7 7QQ**

First issued on the 14<sup>th</sup> February 2013

**EC Certificate No: 0402-CPR-SC0003-13**

The following conductivity, fire and water test reports by SP Technical Research Institute attests on the basis of initial type-testing of the product, to the provisions contained within the Annex ZA of the Harmonised European Standard BS EN 14064-1: 2010 to System 3, fulfil the prescribed requirements of the declaration under BS EN 14064-1.

Signed



Date: 1st November 2019

Location: Stirling

Mark Atherton  
Chief Production Officer & Head of Operations

DOP0020