

Declaration of Performance: UKCA0014

Superglass Insulation Limited declares that products listed are manufactured for the use in the thermal insulation of buildings that are identified and labelled with the following designation code:

MW 13162-T1 Lambda Class 0.040W/mK

Technical Specifications

Designation Code	Declared Thermal Conductivity λ_D	Thickness Tolerance Class	Reaction to Fire Classification
MW-13162-T1	0.040	T1	A1

The products meet the requirements of Annex ZA of Harmonised European Product Standard BS EN 13162:2012+A1:2015 with its conformity established according to Harmonised European Standard BS EN 13172: 2012.

In support of our Declaration of Performance, British Standards Institution (BSI), Notified body number 0086, having taken product test samples in accordance with a prescribed test plan from our factory established at:

Thistle Industrial Estate, Kerse Road, Stirling, Scotland FK7 7QQ

Effective from 1st January 2022

UKCA Certificate No: 0086-CPR-469699

That attests on the basis of initial type-testing of the product, initial inspection of the factory and of the Factory Production Control and continuous surveillance, assessment and approval of the factory production control, corresponding to the provisions contained within the Annex ZA of the Harmonised European Standard BS EN 13162:2012+A1:2015 to System 1, fulfil the prescribed requirements.

Signed



David Ashforth
Plant Manager

Date: 2nd November 2021
Location: Stirling, Scotland
DoP Reference Number:
UKCA0014
Version: 1.0