

Declaration of Performance: UKCA0018

Superglass Insulation Limited declares that products listed are manufactured for the use in the thermal insulation of buildings that are identified and labelled with the following designation code:

MW 14064-1-S1-WS-MU1
Superwhite 42 Loft Blown Wool

Technical Specifications

Designation Code	Declared Thermal Conductivity λ_D	Settlement Class	Reaction to Fire Classification	Water Absorption	Water Vapour Diffusion Resistance
MW-14064-1	0.042	S1	A1	WS	MU1

The product meets the requirements of Annex ZA of Harmonised European Product Standard BS EN 14064-1: 2010 with its conformity established according to Harmonised European Standard BS EN 13172: 2012.

In support of our Declaration of Performance, British Standards Institute (BSI) Notified body number 0086, have ensured that test samples were in accordance with a prescribed test plan from our factory established at:

Thistle Industrial Estate, Kerse Road, Stirling, Scotland FK7 7QQ

Effective from 20th September 2021

UKCA Certificate No: 0086-CPR-742703

The following conductivity, fire and water test reports by SP Technical Research Institute attests on the basis of initial type-testing of the product, to the provisions contained within the Annex ZA of the Harmonised European Standard BS EN 14064-1: 2010 to System 3, fulfil the prescribed requirements of the declaration under BS EN 14064-1.

Signed



David Ashforth
Plant Manager

Date: 20th September 2021
Location: Stirling, Scotland
DoP Reference Number:
UKCA0018
Version: 1.0