



Declaration of Performance: CE0012

Superglass Insulation Limited declares that products listed are manufactured for the use in the thermal insulation of buildings that are identified and labelled with the following designation code:

MW-13162-T1 Lambda Class 0.038W/mK

Technical Specifications

Designation Code	Declared Thermal Conductivity λD	Thickness Tolerance Class	Reaction to Fire Classification
MW-13162-T1	0.038	T1	A1

The products meet the requirements of Annex ZA of Harmonised European Product Standard BS EN 13162:2012+A1:2015 with its conformity established according to Harmonised European Standard BS EN 13172: 2012.

In support of our Declaration of Performance, Forschungsinstitut für Wärmeschutz (FIW) Notified body number 0751, having taken product test samples in accordance with a prescribed test plan from our factory established at:

Thistle Industrial Estate, Kerse Road, Stirling, Scotland FK7 7QQ

First issued on the 1st February 2022

CE Certificate No: 0751-CPR-399.0-01

That attests on the basis of initial type-testing of the product, initial inspection of the factory and of the Factory Production Control and continuous surveillance, assessment and approval of the factory production control, corresponding to the provisions contained within the Annex ZA of the Harmonised European Standard BS EN 13162:2012+A1:2015 to System 1, fulfil the prescribed requirements.

Signed

Date: 1st February 2022
Location: Stirling, Scotland
DoP Reference Number: CE0012
Version: 1.0

David Ashforth
Plant Manager